ATTACHMENT III
Exhibit 8

8-193. Lee, C.K., D.J. Doolittle, G.T. Burger and A.W. Hayes. Comparative genotoxicity testing of mainstream whole smoke from cigarettes which burn or heat tobacco. Mutation Research 242:37-45, 1990.

8-194. Lee, C.K., B.G. Brown, E.A. Reed et al. Fourteen-Day Inhalation Study in Rats, Using Aged and Diluted Sidestream Smoke from a Reference Cigarette. Fundam. Appl. Toxicol. 19:141-146, 1992.

8-195. Lee, C.K., B.G. Brown, E.A. Reed et al. Ninety-Day Inhalation Study in Rats, Using Aged and Diluted Sidestream Smoke from a Reference Cigarette: DNA Adducts and Alveolar Macrophage Cytogenetics. Fundam. Appl. Toxicol. 20(4):393-401, 1993.

8-196. Leone, A., L. Mori, F. Bertanelli, P. Fabiano and M. Filippelli. Indoor passive smoking: its effect on cardiac performance. Int. J. Cardiol. 33:247-252, 1991.

8-197. [Reserved]

8-198. [Reserved]

8-199. [Reserved]

8-200. [Reserved]

8-201. Ling, F.I., G. Löfroth and J. Lewtas. Mutagenic Determination of Passive Smoking. Toxicology Letters 35:147-151, 1987.

8-202. Löfroth, G., L. Nilsson and I. Alfheim. Passive Smoking and Urban Air Pollution: Salmonella/Microsome Mutagenicity Assay of Simultaneously Collected Indoor and Outdoor Particulate Matter. Environmental Science Research 27:515-525, 1983.

8-203. Löfroth, G., F.I. Ling and E. Agurell. Public exposure to environmental tobacco smoke. Mutation Research 202:103-110, 1988.

8-204. Ludwig, P.W., E.A. Schwartz, J.r. Hoidal and D.E. Niewoehner. Cigarette Smoking Causes Accumulation of Polymorphonuclear Leukocytes in Alveolar Septum. Am. Rev. Respir. Dis. 131:828-830, 1985.

8-205. [Reserved]

2029251847

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-206. Fornkohl, Kate S. Letter to Debra Janes, OSHA, dated December 29, 1993, forwarding a copy of the Marion Merrell Dow NICORETTE® (nicotine polacrilex) Employer Smoke-Free Planning Kit. Six pamphlets enclosed entitled "The Economic Impact on Smoking (1) On Dental and Oral Health; (2) On Cardiovascular Health; (3) In the Workplace; (4) On Pulmonary Health; (5) On Infants and Children; and (6) On Wound-Healing and Recovery from Surgery.

8-207. The Economic Impact of Smoking in the Workplace. Publication Series presented by Marion Merrell Dow, Inc. 1991.

8-208. Martin, T.R., and M.B. Bracken. Association of Low Birth Weight With Passive Smoke Exposure in Pregnancy. Am. J. Epidemiol. 124(4):633-642, 1986.

8-209. Masi, M.A., J.A. Hanley, P. Ernst and M.R. Becklake. Environmental Exposure to Tobacco Smoke and Lung Function in Young Adults. Am. Rev. Respir. Dis. 138:296-299, 1988.

8-210. Masjedi, M., H. Kazemi and D.C. Johnson. Effects of passive smoking on the pulmonary function of adults. Thorax 45(1):27-31, 1990.

8-211. Matsukura, S., T. Taminato, K. Kitano et al. Effects of Environmental Tobacco Smoke on Urinary Cotinine Excretion in Nonsmokers. NEJM 311:828-832, 1984.

8-212. Matulionis, D.H. and M.H. Traurig. In Situ Response of Lung Macrophages and Hydrolase Activities to Cigarette Smoke. Laboratory Investigation 37(3):314-326, 1977.

8-213. McConnochie, K.M. and R.J. Roghmann. Wheezing at 8 and 13 Years: Changing Importance of Bronchiolitis and Passive Smoking. Pediatric Pulmonology 6:138-146, 1989.

8-214. McCunney, R.J. The role of building construction and ventilation in indoor air pollution. N Y State J. Med. 87(4):203-209, 1987.

8-215. [Reserved]

8-216. McFadden, E.R. and D.A. Linden. A Reduction in Maxium Mid-Expiratory Flow Rate. Am. J. Med. 52:725-737, 1972.

2029251848

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-217. McMurray, R.G., L.L. Hicks and D.L. Thompson. The effects of passive inhalation of cigarette smoke on exercise performance. Eur. J. Appl. Physiol. 54:196-200, 1985.

8-218. Mendell, M.J. and A.H. Smith. Consistent Pattern of Elevated Symptoms in Air-conditioned Office Buildings: A Reanalysis of Epidemiologic Studies. AJPH 80(10):1193-1199, 1990.

8-219. Mendell, M.J. Estimating Excess Burden of Work-Related Symptoms Associated with Air-Conditioned Office Buildings in the U.S. NIOSH/IWSB.

8-220. The Merck Index. M. Windholz, S. Budavari et al, eds., (Merck & Co., Inc.: Rahway, NJ), pp. 91, 155-156, 646, 665-666, 748, 1271, 1455, (1983).

8-221. [Reserved]

8-222. Milhorn, H.T. Nicotine Dependence. Am. Fam. Physician 39(3):214-224, 1989.

8-223. Miller, R.F., K.S. Rotenberg and J. Adir. Effect of Dose on the Pharmacokinetics of Intravenous Nicotine in the Rat. Drug Metab. Dispos. 5(3):436-443, 1977.

8-224. [Reserved]

8-225. Moessinger, A.C. Mothers Who Smoke and the Lungs of Their Offspring. Ann. N. Y. Acad. Sci. 562:101-104, 1989.

8-226. Mohr, U. and G. Reznik. 6. Tobacco Carcinogenesis. In: Pathogenesis and Therapy of Lung Cancer, C.C. Harris, ed., (Marcel Dekker, Inc.: New York), pp. 263-367, 1978.

8-227. [Reserved]

8-228. [Reserved]

8-229. Morey, P.R. Bioaerosols in the Indoor Environment: Current Practices and Approaches.

8-230. Morris, J.F. Spirometry in the Evaluation of Pulmonary Function. West J. Med. 125(2):110-118, 1976.

8-231. Morris, J.F., A. Koski and J.D. Breese. Normal Values and Evaluation of Forced End-Expiratory Flow. Am. Rev. Respir. Dis. 111:755-762, 1975.

2029251849

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-232. [Reserved]

8-233. [Reserved]

8-234. [Reserved]

8-235. National Health Interview Survey - Smoking Prevalence.

8-236. NIOSH. Health Hazard Evaluation/Toxicity Determination Report 76-70-367, Sperry-Univac Corporation, Blue Bell, Pennsylvania. National Institute for Occupational Safety and Health, Cincinnati, OH. March 1977. PB-270 9028.

8-237. NIOSH. Current Intelligence Bulletin 54. Environmental Tobacco Smoke in the Workplace. Lung Cancer and Other Health Effects. National Institute for Occupational Safety and Health, Cincinnati, OH. June 1991.

8-238. [Reserved]

8-239. National Research Council. Environmental Tobacco Smoke. Measuring Exposures and Assessing Health Effects. (National Academy Press: Washington, DC). 1986.

8-240. Dorgan Associates, Inc. Productivity and Indoor Environmental Quality Study. Final Report. Prepared for Alexander J. Willman, P.E., National Energy Management Institute, Alexandria, VA. Prepared by Dorgan Associates, Inc., Madison, WI. August 1993.

8-241. [Reserved]

8-242. [Reserved]

8-243. Norbick, M. Torgen and C. Edling. Volatile organic compounds, respirable dust, and personal factors related to prevalence and incidence of sick building syndrome in primary schools. Br. J. Indust. Med. 47:733-741, 1990.

8-244. [Reserved]

8-245. Olson, J.W. Chronic Cigarette Sidestream Smoke Exposure Increases Rat Trachea Ornithine Decarboxylase Activity. Life Sciences 37:2165-2171, 1985.

2029251850

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-246. Ong, T., J. Stewart and W. Whong. A simple in situ mutagenicity air pollutants. Mutation Research 139:177-181, 1984.

8-247. [Reserved]

8-248. [Reserved]

8-249. [Reserved]

8-250. Pattishall, E.N., G.L. Strope, R.A. Etzel et al. Serum Cotinine as a Measure of Tobacco Smoke Exposure in Children. AJDC 139:1101-1104, 1985.

8-251. Pershagen, G. Childhood cancer and malignancies other than lung cancer related to passive smoking. Mutation Research 222:129-135, 1989.

8-252. Mantel, N. Re: "Passive Smoking and Lung Cancer in Swedish Women." (Letters to the Editor); Pershagen, G. and C. Svensson. The Authors Reply. Am. J. Epidemiol. 126(6):1215-1217, 1987.

8-253. [Reserved]

8-254. Plowchalk, D.R. and J.D. deBethizy. 5. Interspecies Scaling of Nicotine Concentrations in the Brain. In: The Biology of Nicotine: Current Research Issues, P.M. Lippiello et al., eds. (Raven Press, Ltd.: New York), pp. 55-70, 1992.

8-255. Plowchalk, D.R., M.E. Andersen and J.D. deBethizy. A Physiologically Based Pharmacokinetics Model for Nicotine Disposition in the Sprague--Dawley Rat. Toxicol. Appl. Pharmacol. 116:177-188, 1992.

8-256. [Reserved]

8-257. [Reserved]

8-258. [Reserved]

8-259. Reif, J.S., K. Dunn, G.K. Ogilvie and C.K. Harris. Passive Smoking and Canine Lung Cancer Risk. Am. J. Epidemiol. 135(3):234-239, 1992.

8-260. Repace, J.L. and A.H. Lowrey. Indoor Air Pollution, Tobacco Smoke, and Public Health. Science 208:464-472, 1980.

2029251851

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-261. Repace, J.L. and A.N. Lowery. Tobacco Smoke, Ventilation, and Indoor Air Quality. ASHRAE Transactions 88(Part 1):895-914, 1982.

8-262. Repace, J.L. and A.N. Lowery. A Quantitative Estimate of Nonsmokers' Lung Cancer Risk from Passive Smoking. Environmental International 11:3-22, 1985.

8-263. Repace, J.L. and A.N. Lowery. An Enforceable Indoor Air Quality Standard for Environmental Tobacco Smoke in the Workplace. Risk Analysis 13(4):463-475, 1993.

8-264. [Reserved]

8-265. Developing a Smoking Lounge. R.J. Reynolds Tobacco Co.

8-266. R.J. Reynolds Tobacco Company. Letter to Dr. Demetra Collia, OSHA from Paul Nelson, dated January 21, 1994, regarding use of nicotine as an environmental tobacco smoke marker.

8-267. [Reserved]

8-268. [Reserved]

8-269. [Reserved]

8-270. Robinson, D.E., W.J. Salter and S.L. Schwartz. A Physiologically Based Pharmacokinetic Model for Nicotine and Continine in Man. Journal of Pharmacokinetics and Biopharmaceutics 20(6):591-609, 1992.

8-271. Robinson, J.P., P. Switzer and W. Ott. Microenvironmental Factors Related to Californians' Potential Exposure to Environmental Tobacco Smoke (ETS). Report 3 from the California Activity Pattern Survey. Final Draft. January 1994.

8-272. [Reserved]

8-273. Rubin, D.M., P.A. Krasilnikoff, J.M. Leventhal et al. Effect of Passive Smoking on Birth-Weight. Lancet 2:415-417, 1986.

8-274. [Reserved]

8-275. Sandler, D.P., R.B. Everson, A.J. Wilcox and J.P. Browder. Cancer Risk in Adulthood from Early Life Exposure to Parents' Smoking. AJPH 75(5):487-492, 1985.

2029251852

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-276. Sandler, D.P., A.J. Wilcox and R.B. Everson. Cumulative Effects of Lifetime Passive Smoking on Cancer Risk. Lancet 1(8424):312-314, 1985.

8-277. Sandler, D.P., G.W. Comstock, K.J. Helsing et al. Deaths from All Causes in Non-Smokers Who Lived with Smokers. AJPH 79(2):163-167, 1989.

8-278. Schwartz, J. and S. Zeger. Passive Smoking, Air Pollution, and Acute Respiratory Symptoms in a Diary Study of Student Nurses. Am. Rev. Respir. Dis. 141:62-67, 1990.

8-279. Sepkovic, D.W., M.J. Haley D. Hoffmann et al. Elimination From the Body of Tobacco Products by Smokers and Passive Smokers. JAMA 256(7):863, 1986.

8-280. Sexton, K., J.D. Spengler and R.D. Treitman. Personal Exposure to Respirable Particles: A Case Study in Waterbury, Vermont. Atmospheric Environment 18(7):1385-1398, 1984.

8-281. Sheen, S.J. Detection of Nicotine in Foods and Plant Materials. J. Fd. Sci. 53(5):1572-1573, 1988.

8-282. [Reserved]

8-283. Shimizu, H., M. Morishita et al. A Case-Control Study of Lung Cancer in Nonsmoking Women. Tohoku J. exp. Med. 154:389-397, 1988.

8-284. [Reserved]

8-285. Smith, N. and J. Austin. Tertiary Smoking by the Fetus. Lancet 1:1282, 1982.

8-286. [Reserved]

8-287. [Reserved]

8-288. Spengler, J.D., R.D. Treitman, T.D. Tosteson, D.T. Mage and M.L. Soczek. Personal Exposures to Respirable Particulate and Implications for Air Pollution Epidemiology. Environ. Sci. Technol. 19:700-707, 1985.

8-289. Stanton, M.F., E. Miller, C. Wrench and R. Blackwell. Experimental Induction of Epidermoid Carcinoma in the Lungs of Rats by Cigarette Smoke Condensate. JNCI 49:867-877, 1972.

2029251853

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000

ATTACHMENT III
Exhibit 8

8-290. Steenko, A., K. McNicol and R. Sauder. Effect of Passive Smoking on the Lung of Young Lambs. Pediatr. Res. 20:853-858, 1986.

8-291. Steenland, K. Passive Smoking and the Risk of Heart Disease. JAMA 267(1):94-99, 1992.

8-292. Stockwell, H.G., A.L. Goldman et al. Environmental Tobacco Smoke and Lung Cancer Risk in Nonsmoking Women. JNCI 84:1417-1422, 1992.

8-293. [Reserved]

8-294. Stolwijk, J.A.J. Assessment of Population Exposure and Carcinogenic Risk Posed by Volatile Organic Compounds in Indoor Air. Risk Analysis 10(1):49-57, 1990.

8-295. Svendsen, K.H., L.H. Kuller, M.J. Martin and J.K. Ockene. Effects of Passive Smoking in the Multiple Risk Factor Intervention Trail. Am. J. Epidemiol. 126(5):783-795, 1987.

8-296. Svensson, C., G. Pershagen and J. Klominek. Smoking and Passive Smoking in Relation to Lung Cancer in Women. Acta. Oncologica 28:623-629, 1989.

8-297. [Reserved]

8-298. [Reserved]

8-299. Taylor, B. and J. Wadsworth. Maternal smoking during pregnancy and lower respiratory tract illness in early life. Arch. Dis. Child. 62:786-791, 1987.

8-300. Trichopoulos, D., A. Kalandidi and L. Sparros. Lung Cancer and Passive Smoking Conclusive of Greek Study. Lancet 2(8351):677-678, 1983.

8-301. Tunstall-Pedoe, H., M. Woodward and C.A. Brown. Tea Drinking, Passive Smoking, Smoking Deception and Serum Cotinine in the Scottish Heart Health Study. J. Clin. Epidemiol. 44(12):1411-1414, 1991.

8-302. [Reserved]

8-303. EIA. Commercial Buildings Characteristics 1989. Energy Information Administration. DOE/EIA-0246(89). June 1991.

2029251854

Source: https://www.industrydocuments.ucsf.edu/docs/grdl0000